

# CRIMPFOX 6T-F - Crimping pliers



1212038

<https://www.phoenixcontact.com/in/products/1212038>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Crimping pliers, for ferrules without insulating collar according to DIN 46228 Part 1 and ferrules with insulating collar according to DIN 46228 Part 4, 0.25 mm<sup>2</sup> ... 6 mm<sup>2</sup>, front entry, trapezoidal crimp

## Your advantages

- All ferrules can be optimally crimped with a minimum amount of effort even in the case of large conductor cross sections
- Unlockable pressure lock
- Comprehensive range of crimping pliers
- Consistently high crimping quality
- Marked die stations for precise processing of corresponding cross sections

## Commercial data

Item number	1212038
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	BH3
Product key	BH3131
Catalog page	Page 419 (C-3-2019)
GTIN	4046356454032
Weight per piece (including packing)	548.1 g
Weight per piece (excluding packing)	548.1 g
Customs tariff number	82032000
Country of origin	SE

# CRIMPFOX 6T-F - Crimping pliers



1212038

<https://www.phoenixcontact.com/in/products/1212038>

## Technical data

### Notes

#### Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

### Product properties

Product type

Crimping tool

Compression

Trapezoidal crimp

#### Crimping position 1

Min. cross section

0.25 mm<sup>2</sup>

Max. cross section

6 mm<sup>2</sup>

AWG min

24

AWG max

10

### Connection data

#### Conductor connection

Cross section range, metric

0.25 mm<sup>2</sup> ... 6 mm<sup>2</sup>

Cross section range AWG

24 ... 10

### Dimensions

Width

22.5 mm

Height

72 mm

Length

220 mm

### Material specifications

Color

black

# CRIMPFOX 6T-F - Crimping pliers


1212038

<https://www.phoenixcontact.com/in/products/1212038>



## Drawings

Product drawing



# CRIMPFOX 6T-F - Crimping pliers



1212038

<https://www.phoenixcontact.com/in/products/1212038>

## Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/in/products/1212038>



**EAC**

Approval ID: RU x-DE.xx08.B.02974

# CRIMPFOX 6T-F - Crimping pliers

1212038

<https://www.phoenixcontact.com/in/products/1212038>



## Classifications

### UNSPSC

UNSPSC 21.0	27111518
-------------	----------

# CRIMPFOX 6T-F - Crimping pliers



1212038

<https://www.phoenixcontact.com/in/products/1212038>

## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
---	---

### EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

# CRIMPFOX 6T-F - Crimping pliers

1212038

<https://www.phoenixcontact.com/in/products/1212038>



## Accessories

### CRIMPFOX/ SPR-1 - Replacement spring

1212069

<https://www.phoenixcontact.com/in/products/1212069>

Spare recuperating spring



---

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.  
A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420  
[info@phoenixcontact.co.in](mailto:info@phoenixcontact.co.in)