

1212483

https://www.phoenixcontact.com/in/products/1212483

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



ESD electronic needle-nose pliers, 45° angle, smooth grip, with opening spring, non-reflective coating and phosphate-treated, two-component grip

### **Product Description**

#### Note:

Due to the current challenges of the global procurement market, Phoenix Contact has unfortunately been forced to accept a different ESD-compliant material. In future, the tools will be supplied with plastic handles in black/turquoise. This does not affect the function or quality of the ESD pliers.

### Your advantages

- Through-connected joint for permanent stability and optimum distribution of force
- Ergonomically designed two-component handles for fatigue-proof and non-slip use
- · Opening spring for uniform, smooth opening
- The special conductive plastic handles ensure slow and safe removal of electrostatic energy according to standards and directives such as DIN EN 61340-5
- · Made from special high-grade tool steel
- · Mirror-polished and phosphate-treated metal surfaces for optimum rust protection and no glare when working

#### Commercial Data

Item number	1212483
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	BH3
Product Key	BH3152
Catalog Page	Page 403 (C-3-2019)
GTIN	4046356527156
Weight per Piece (including packing)	79.5 g
Weight per Piece (excluding packing)	79.5 g
Customs tariff number	82032000
Country of origin	DE



1212483

https://www.phoenixcontact.com/in/products/1212483

### **Technical Data**

#### Notes

Environmental Product Compliance  California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
	Downloads in the manufacturers declaration
Product properties	
Product type	Electronics pliers
Electrical properties	
Fuse	DIN EN 61340-5-1/VDE 0300-5-1, DIN EN 61340-2-3/VDE 0300 2-3
Dimensions	
Width	60 mm
Height	7 mm
Length	130 mm
Naterial specifications	
Color	multicolored
Material	Steel
Coating	phosphatized



1212483

https://www.phoenixcontact.com/in/products/1212483

### Approvals



**EAC** 

Approval ID: RU x-DE.xx08.B.02974



1212483

https://www.phoenixcontact.com/in/products/1212483

## Classifications

UNSPSC 21.0

### **ECLASS**

ECLASS-11.0	21043816	
ECLASS-12.0	21043816	
ECLASS-13.0	21043816	
ETIM		
ETIM 8.0	EC000835	
UNSPSC		

27112100



1212483

https://www.phoenixcontact.com/in/products/1212483

### **Environmental Product Compliance**

REACh SVHC Lead 7439-92-1

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in