

MICROFOX-F - Flat-nosed pliers



1212493

<https://www.phoenixcontact.com/in/products/1212493>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Electronic flat pliers, smooth gripping surface, with spring opening

Your advantages

- Through-connected joint for permanent stability and optimum distribution of force
- Ergonomically designed two-component handles for fatigue-proof and non-slip use
- Opening spring for uniform, smooth opening
- Mirror-polished and oiled metal surfaces, which provide maximum rust protection
- Made from special high-grade tool steel

Commercial Data

Item number	1212493
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	BH3
Product Key	BH3151
Catalog Page	Page 402 (C-3-2019)
GTIN	4046356527248
Weight per Piece (including packing)	79.5 g
Weight per Piece (excluding packing)	72.1 g
Customs tariff number	82032000
Country of origin	DE

MICROFOX-F - Flat-nosed pliers



1212493

<https://www.phoenixcontact.com/in/products/1212493>

Technical Data

Notes

Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Product type

Electronics pliers

Dimensions

Length

120 mm

MICROFOX-F - Flat-nosed pliers

1212493

<https://www.phoenixcontact.com/in/products/1212493>



Approvals



EAC

Approval ID: RU x-DE.xx08.B.02974

MICROFOX-F - Flat-nosed pliers



1212493

<https://www.phoenixcontact.com/in/products/1212493>

Classifications

ECLASS

ECLASS-11.0	21043817
ECLASS-12.0	21043817
ECLASS-13.0	21043817

ETIM

ETIM 8.0	EC000833
----------	----------

UNSPSC

UNSPSC 21.0	27112100
-------------	----------

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.

A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420

info@phoenixcontact.co.in