

1212527

https://www.phoenixcontact.com/in/products/1212527

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Cable cutter, for laminated busbars/ribbed tape, also for copper and aluminum up to 50 mm², VDE 1000 V AC/1500 V DC tested

Your advantages

- Inductively hardened blades for long-term stable cutting performance
- · VDE-tested cutting tools made from special high-grade tool steel

Commercial Data

Item number	1212527
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	BH3
Product Key	BH311S
Catalog Page	Page 392 (C-3-2019)
GTIN	4046356589550
Weight per Piece (including packing)	324 g
Weight per Piece (excluding packing)	317.2 g
Customs tariff number	82032000
Country of origin	DE



1212527

https://www.phoenixcontact.com/in/products/1212527

Technical Data

Notes

"Downloads" in the manufacturer's declaration Product properties Product type Cutting tools Dimensions Length 210 mm Diameter 25 mm External dimensions Outside diameter ≤ 25 mm Material specifications Color black Cable/line External cable diameter ≤ 25 mm	Environmental Product Compliance	
Product type Cutting tools Dimensions Length 210 mm Diameter 25 mm External dimensions Outside diameter ≤ 25 mm Material specifications Color black Cable/line External cable diameter ≤ 25 mm	California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
Dimensions Length 210 mm Diameter 25 mm External dimensions Outside diameter ≤ 25 mm Material specifications Color black Cable/line External cable diameter ≤ 25 mm	Product properties	
Length 210 mm Diameter 25 mm External dimensions Outside diameter	Product type	Cutting tools
Diameter 25 mm External dimensions Outside diameter ≤ 25 mm Material specifications Color black Cable/line External cable diameter ≤ 25 mm	Dimensions	
External dimensions Outside diameter ≤ 25 mm Material specifications Color black Cable/line External cable diameter ≤ 25 mm Standards and regulations	Length	210 mm
Outside diameter ≤ 25 mm Material specifications Color black Cable/line External cable diameter ≤ 25 mm Standards and regulations	Diameter	25 mm
Material specifications Color black Cable/line External cable diameter ≤ 25 mm Standards and regulations	External dimensions	
Color black Cable/line External cable diameter ≤ 25 mm Standards and regulations	Outside diameter	≤ 25 mm
Cable/line External cable diameter ≤ 25 mm Standards and regulations	Material specifications	
External cable diameter ≤ 25 mm Standards and regulations	Color	black
Standards and regulations	Cable/line	
-	External cable diameter	≤ 25 mm
Tests DIN EN 60900 (VDE 0682 PART 201)	Standards and regulations	
5 2 55555 (1.2 555217411 201)	Tests	DIN EN 60900 (VDE 0682 PART 201)
DIN ISO 5746		DIN ISO 5746



1212527

https://www.phoenixcontact.com/in/products/1212527

Approvals



EAC

Approval ID: RU x-DE.xx08.B.02974



VDE Zeichengenehmigung

Approval ID: 40052526



1212527

https://www.phoenixcontact.com/in/products/1212527

Classifications

ECLASS

	ECLASS-11.0	21044701
	ECLASS-12.0	21044701
	ECLASS-13.0	21044701
ETIM		
	ETIM 8.0	EC000142
UNSPSC		

27111500

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

UNSPSC 21.0

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in