

HC-EVO-B10-CHWS-PLRBK - Housing



1407640

<https://www.phoenixcontact.com/in/products/1407640>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Coupling housings B10, with single locking latch, material: PA, cable outlets: 1, straight/lateral, height: 90 mm, cable gland: none, Standard

Your advantages

- Flexible cable outlet direction, lateral or straight
- Lower costs than metal version
- Low weight
- Lower risk of condensation

Commercial Data

| | |
|--------------------------------------|---------------------|
| Item number | 1407640 |
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales Key | BF7 |
| Product Key | BF7APL |
| Catalog Page | Page 604 (C-2-2019) |
| GTIN | 4046356777025 |
| Weight per Piece (including packing) | 117.7 g |
| Weight per Piece (excluding packing) | 116 g |
| Customs tariff number | 85389099 |
| Country of origin | PL |

HC-EVO-B10-CHWS-PLRBK - Housing



1407640

<https://www.phoenixcontact.com/in/products/1407640>

Technical Data


Notes

| | |
|---------|--|
| General | For contact inserts HC-B10, BB18, DD42, M, K8/24, HV03-I-PT, HC- 3-E...C |
|---------|--|

Product properties

| | |
|----------------------|----------------------------|
| Type | B10 |
| Product type | Housing with locking latch |
| Application | Standard |
| No. of cable outlets | 1 |
| Housing type | Coupling housings |
| Locking type | with single locking latch |
| Cable outlet | straight |
| Pg screw connection | none |

Dimensions

| | |
|---------------------|--|
| Dimensional drawing |  |
| Width | 44 mm |
| Height | 90 mm |
| Length | 73 mm |

Material specifications

| | |
|--|--------------------------------|
| Color | black |
| Flammability rating according to UL 94 | V0 (Housing) V0 (Interlock) |
| Seal material | NBR |
| Locking latch material | PA |
| Impact strength | IK08 |
| Housing material | PA |

Mechanical properties

Mechanical data

| | |
|--------------|-------|
| Locking type | Latch |
|--------------|-------|

Mounting

| | |
|-----------------------|---|
| Assembly instructions | The coupling housing must be supplemented with the EVO screw connection. The EVO screw connection is available in four sizes. The EVO screw connection is mounted with the aid of a pipe wrench, for example. |
|-----------------------|---|

HC-EVO-B10-CHWS-PLRBK - Housing



1407640

<https://www.phoenixcontact.com/in/products/1407640>

Environmental and real-life conditions

Ambient conditions

| | |
|---------------------------------|-------------------|
| Degree of protection | IP66 |
| | 12 (UL 50e) |
| Impact strength | IK08 |
| Ambient temperature (operation) | -40 °C ... 125 °C |

HC-EVO-B10-CHWS-PLRBK - Housing




1407640

<https://www.phoenixcontact.com/in/products/1407640>

Drawings

Dimensional drawing



Dimensional drawing

HC-EVO-B10-CHWS-PLRBK - Housing



1407640

<https://www.phoenixcontact.com/in/products/1407640>

Approvals



cUL Recognized
Approval ID: E255026



UL Recognized
Approval ID: E255026



EAC
Approval ID: RU C-DE.AI30.B.01102



EAC
Approval ID: RU C-DE.BL08.B.00511

HC-EVO-B10-CHWS-PLRBK - Housing



1407640

<https://www.phoenixcontact.com/in/products/1407640>

Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-11.0 | 27440202 |
| ECLASS-12.0 | 27440202 |
| ECLASS-13.0 | 27440202 |

ETIM

| | |
|----------|----------|
| ETIM 8.0 | EC000437 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 31261500 |
|-------------|----------|

HC-EVO-B10-CHWS-PLRBK - Housing



1407640

<https://www.phoenixcontact.com/in/products/1407640>

Environmental Product Compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

HC-EVO-B10-CHWS-PLRBK - Housing

1407640

<https://www.phoenixcontact.com/in/products/1407640>

Accessories

HC-B-G-M20-PLRBK - Cable gland

1407669

<https://www.phoenixcontact.com/in/products/1407669>



EVO plastic cable gland with bayonet locking, for housing series B, size M20, cable diameter: 7 mm ... 13 mm

HC-B-G-M25-PLRBK - Cable gland

1407670

<https://www.phoenixcontact.com/in/products/1407670>



EVO plastic cable gland with bayonet locking, for housing series B, size M25, cable diameter: 9 mm ... 17 mm

HC-EVO-B10-CHWS-PLRBK - Housing

1407640

<https://www.phoenixcontact.com/in/products/1407640>



HC-B-G-M32-PLRBK - Cable gland

1407671

<https://www.phoenixcontact.com/in/products/1407671>



EVO plastic cable gland with bayonet locking, for housing series B, size M32, cable diameter: 11 mm ... 21 mm

HC-B-G-M40-PLRBK - Cable gland

1407672

<https://www.phoenixcontact.com/in/products/1407672>



EVO plastic cable gland with bayonet locking, for housing series B, size M40, cable diameter: 19 ... 28 mm

HC-EVO-B10-CHWS-PLRBK - Housing

1407640

<https://www.phoenixcontact.com/in/products/1407640>

HC-B10-SL-PLBK - Housing brackets

1407698

<https://www.phoenixcontact.com/in/products/1407698>



Replacement single locking latch for HEAVYCON EVO housing type B10, PA

HC-B10-SP-RBK - Profile gasket

1407707

<https://www.phoenixcontact.com/in/products/1407707>



Profile gasket for HEAVYCON EVO supporting base element type B10

HC-EVO-B10-CHWS-PLRBK - Housing

1407640

<https://www.phoenixcontact.com/in/products/1407640>



HC-B10-BCFS-P-BK - Protective cover

1346526

<https://www.phoenixcontact.com/in/products/1346526>

Protective cover B10, for single locking latch, protective cover material: PC, height: 26.3 mm, seal: no



US-EMP (20X9) - Snap-in markers

0829439

<https://www.phoenixcontact.com/in/products/0829439>

Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 20 x 9 mm, Number of individual labels: 70



HC-EVO-B10-CHWS-PLRBK - Housing

1407640

<https://www.phoenixcontact.com/in/products/1407640>



US-EMP (20X9) CUS - Snap-in markers

0830028

<https://www.phoenixcontact.com/in/products/0830028>

Snap-in markers, can be ordered: by card, white, labeled according to customer specifications, mounting type: snapped into marker carrier, lettering field size: 20 x 9 mm, Number of individual labels: 70



HC-B-TA-M40-PLR-BK - Adapter

1414246

<https://www.phoenixcontact.com/in/products/1414246>

Plastic thread adapter with bayonet lock, for EVO housing series B, M40 thread



HC-EVO-B10-CHWS-PLRBK - Housing

1407640

<https://www.phoenixcontact.com/in/products/1407640>



HC-B-TA-M32-PLR-BK - Adapter

1414245

<https://www.phoenixcontact.com/in/products/1414245>



Plastic thread adapter with bayonet lock, for EVO housing series B, M32 thread

HC-B-TA-M25-PLR-BK - Adapter

1414244

<https://www.phoenixcontact.com/in/products/1414244>



Plastic thread adapter with bayonet lock, for EVO housing series B, M25 thread

HC-EVO-B10-CHWS-PLRBK - Housing

1407640

<https://www.phoenixcontact.com/in/products/1407640>

HC-B-TA-M20-PLR-BK - Adapter

1414243

<https://www.phoenixcontact.com/in/products/1414243>



Plastic thread adapter with bayonet lock, for EVO housing series B, M20 thread

HC-B-TA-PG29-PLR-BK - Adapter

1414250

<https://www.phoenixcontact.com/in/products/1414250>



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg29 thread

HC-EVO-B10-CHWS-PLRBK - Housing

1407640

<https://www.phoenixcontact.com/in/products/1407640>



HC-B-TA-PG21-PLR-BK - Adapter

1414249

<https://www.phoenixcontact.com/in/products/1414249>



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg21 thread

HC-B-TA-PG16-PLR-BK - Adapter

1414248

<https://www.phoenixcontact.com/in/products/1414248>



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg16 thread

HC-EVO-B10-CHWS-PLRBK - Housing

1407640

<https://www.phoenixcontact.com/in/products/1407640>

HC-B-TA-PG13-PLR-BK - Adapter

1414247

<https://www.phoenixcontact.com/in/products/1414247>



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg13.5 thread

HC-B-TA-NPT-1 1/4-PLR-BK - Adapter

1414254

<https://www.phoenixcontact.com/in/products/1414254>



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 1 1/4\"

HC-EVO-B10-CHWS-PLRBK - Housing



1407640

<https://www.phoenixcontact.com/in/products/1407640>

HC-B-TA-NPT-1/1-PLR-BK - Adapter

1414253

<https://www.phoenixcontact.com/in/products/1414253>



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 1/1" thread

HC-B-TA-NPT-3/4-PLR-BK - Adapter

1414252

<https://www.phoenixcontact.com/in/products/1414252>



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 3/4" thread

HC-EVO-B10-CHWS-PLRBK - Housing

1407640

<https://www.phoenixcontact.com/in/products/1407640>



HC-B-TA-NPT-1/2-PLR-BK - Adapter

1414251

<https://www.phoenixcontact.com/in/products/1414251>



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 1/2" thread

HC-B-GB-M32-PLRBK - Cable gland

1414662

<https://www.phoenixcontact.com/in/products/1414662>



Set consisting of: EVO plastic adapter 1414245 and plastic screw connection with bending armor rod 1415181, M32

HC-EVO-B10-CHWS-PLRBK - Housing

1407640

<https://www.phoenixcontact.com/in/products/1407640>



HC-B-GB-M25-PLRBK - Cable gland

1414661

<https://www.phoenixcontact.com/in/products/1414661>

Set consisting of: EVO plastic adapter 1414244 and plastic screw connection with bending armor rod 1415180, M25



HC-B-GB-M20-PLRBK - Cable gland

1414660

<https://www.phoenixcontact.com/in/products/1414660>

Set consisting of: EVO plastic adapter 1414243 and plastic screw connection with bending armor rod 1415179, M20



HC-EVO-B10-CHWS-PLRBK - Housing

1407640

<https://www.phoenixcontact.com/in/products/1407640>



HC-B-GTRS-M32-PLRBK - Cable gland

1414654

<https://www.phoenixcontact.com/in/products/1414654>

Set consisting of: EVO plastic adapter 1414245 and plastic screw connection with terminal block 1415191, M32



HC-B-GTRS-M25-PLRBK - Cable gland

1414652

<https://www.phoenixcontact.com/in/products/1414652>

Set consisting of: EVO plastic adapter 1414244 and plastic screw connection with terminal block 1415190, M25



HC-EVO-B10-CHWS-PLRBK - Housing

1407640

<https://www.phoenixcontact.com/in/products/1407640>



HC-B-GTRS-M20-PLRBK - Cable gland

1414651

<https://www.phoenixcontact.com/in/products/1414651>

Set consisting of: EVO plastic adapter 1414243 and plastic screw connection with terminal block 1415189, M20



HC-B-GM8X6,5-M40-PLTBK - Cable gland

1414646

<https://www.phoenixcontact.com/in/products/1414646>

EVO plastic cable gland with bayonet locking; size M40, for 8 conductors with 6.5 mm cable diameter



HC-EVO-B10-CHWS-PLRBK - Housing

1407640

<https://www.phoenixcontact.com/in/products/1407640>



HC-B-GM5X8,5-M40-PLTBK - Cable gland

1414645

<https://www.phoenixcontact.com/in/products/1414645>



EVO plastic cable gland with bayonet locking; size M40, for 5 conductors with 8.5 mm cable diameter

HC-B-GM4X10-M40-PLTBK - Cable gland

1414644

<https://www.phoenixcontact.com/in/products/1414644>



EVO plastic cable gland with bayonet locking; size M40, for 4 conductors with 10 mm cable diameter

HC-EVO-B10-CHWS-PLRBK - Housing

1407640

<https://www.phoenixcontact.com/in/products/1407640>



HC-B-GM0-M40-PLTBK - Cable gland

1414643

<https://www.phoenixcontact.com/in/products/1414643>

EVO plastic cable gland with bayonet locking; size M40, with filler plug



Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.

A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420

info@phoenixcontact.co.in