1407644

https://www.phoenixcontact.com/in/products/1407644

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



HEAVYCON EVO sleeve housing, plastic, with bayonet flange for EVO screw connection, B16, with double locking latch, height: 78 mm, without EVO screw connection

Your advantages

- · Flexible cable outlet direction, lateral or straight
- · Lower costs than metal version
- · Low weight
- · Lower risk of condensation

Commercial Data

Item number	1407644
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	BF7
Product Key	BF7APL
Catalog Page	Page 626 (C-2-2019)
GTIN	4046356777087
Weight per Piece (including packing)	126.9 g
Weight per Piece (excluding packing)	123.28 g
Customs tariff number	85389099
Country of origin	PL

PHŒNIX

1407644

https://www.phoenixcontact.com/in/products/1407644



Technical Data

Notes

General	For contact inserts HC-B16, BB32, D40, DD72, HS6, HV6, M, K, HV06-I-PR, HV 6-EC

Product properties

Туре	B16
Product type	Housing with locking latch
Application	Standard
No. of cable outlets	1
Housing type	Sleeve housing
Locking type	with double locking latch
Cable outlet	straight
Pg screw connection	none

Dimensions

Dimensional drawing	
Width	44 mm
Height	78 mm
Length	93.5 mm

Material specifications

Color	black
Flammability rating according to UL 94	V0 (Housing)
	V0 (Interlock)
Locking latch material	PA
Impact strength	IK09
Housing material	PA

Mechanical properties

Mechanical data	
Locking type	Latch
Mounting	
Assembly instructions	The sleeve base housing must be supplemented with the EVO

Jun 12, 2023, 7:24 Al	M Page 2 (22)

example, a pipe wrench

The sleeve base housing must be supplemented with the EVO screw connection. The EVO screw connection is available in four sizes. It facilitates the creation of a straight or a side cable outlet. The EVO screw connection is mounted with the aid of, for



1407644

https://www.phoenixcontact.com/in/products/1407644

Environmental and real-life conditions


Ambient conditions


Degree of protection	IP66
	12 (UL 50e)
Impact strength	IK09
Ambient temperature (operation)	-40 °C 125 °C

1407644

https://www.phoenixcontact.com/in/products/1407644

Drawings





Dimensional drawing



1407644

https://www.phoenixcontact.com/in/products/1407644

Approval ID: E255026 UL Recognized Approval ID: E255026 UL Recognized Approval ID: E255026 KI EAC Approval ID: RU C-DE AI30.B.01102 KI EAC Approval ID: RU C-DE BL08.B.00511

1407644

https://www.phoenixcontact.com/in/products/1407644



Classifications

ECLASS

ECLASS-11.0	27440202
ECLASS-12.0	27440202
ECLASS-13.0	27440202

ETIM

	ETIM 8.0	EC000437	
UN	UNSPSC		
	UNSPSC 21.0	31261500	



1407644

https://www.phoenixcontact.com/in/products/1407644



Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

1407644

https://www.phoenixcontact.com/in/products/1407644



Accessories

HC-B-G-M20-PLRBK - Cable gland

1407669 https://www.phoenixcontact.com/in/products/1407669



EVO plastic cable gland with bayonet locking, for housing series B, size M20, cable diameter: 7 mm \dots 13 mm

HC-B-G-M25-PLRBK - Cable gland

1407670 https://www.phoenixcontact.com/in/products/1407670



EVO plastic cable gland with bayonet locking, for housing series B, size M25, cable diameter: 9 mm \dots 17 mm

1407644

https://www.phoenixcontact.com/in/products/1407644



HC-B-G-M32-PLRBK - Cable gland

1407671

https://www.phoenixcontact.com/in/products/1407671



EVO plastic cable gland with bayonet locking, for housing series B, size M32, cable diameter: 11 mm ... 21 mm

HC-B-G-M40-PLRBK - Cable gland

1407672 https://www.phoenixcontact.com/in/products/1407672



EVO plastic cable gland with bayonet locking, for housing series B, size M40, cable diameter: 19 ... 28 mm

1407644

https://www.phoenixcontact.com/in/products/1407644

HC-B10-24-DL-PLBK - Housing brackets

1407696

https://www.phoenixcontact.com/in/products/1407696



Replacement double locking latch for HEAVYCON EVO housing, HC-B10/HC-B16/HC-B24, PA

HC-B16-HCFD-PR-BK - Protective cover

1346543 https://www.phoenixcontact.com/in/products/1346543



Protective cover B16, for double locking latch, protective cover material: PC, height: 26.4 mm, seal: yes

1407644

https://www.phoenixcontact.com/in/products/1407644

PHŒNIX CONTACT

US-EMP (20X9) - Snap-in markers

0829439

https://www.phoenixcontact.com/in/products/0829439



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 20 x 9 mm, Number of individual labels: 70

US-EMP (20X9) CUS - Snap-in markers

0830028 https://www.phoenixcontact.com/in/products/0830028

Snap-in markers, can be ordered: by card, white, labeled according to customer specifications, mounting type: snapped into marker carrier, lettering field size: 20 x 9 mm, Number of individual labels: 70

1407644

https://www.phoenixcontact.com/in/products/1407644



HC-B-TA-M40-PLR-BK - Adapter

1414246

https://www.phoenixcontact.com/in/products/1414246



Plastic thread adapter with bayonet lock, for EVO housing series B, M40 thread

HC-B-TA-M32-PLR-BK - Adapter

1414245 https://www.phoenixcontact.com/in/products/1414245



Plastic thread adapter with bayonet lock, for EVO housing series B, M32 thread

1407644

https://www.phoenixcontact.com/in/products/1407644



HC-B-TA-M25-PLR-BK - Adapter

1414244

https://www.phoenixcontact.com/in/products/1414244



Plastic thread adapter with bayonet lock, for EVO housing series B, M25 thread

HC-B-TA-M20-PLR-BK - Adapter

1414243 https://www.phoenixcontact.com/in/products/1414243



Plastic thread adapter with bayonet lock, for EVO housing series B, M20 thread

1407644

https://www.phoenixcontact.com/in/products/1407644

HC-B-TA-PG29-PLR-BK - Adapter

1414250

https://www.phoenixcontact.com/in/products/1414250



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg29 thread

HC-B-TA-PG21-PLR-BK - Adapter

1414249 https://www.phoenixcontact.com/in/products/1414249



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg21 thread

PHŒN

1407644

https://www.phoenixcontact.com/in/products/1407644

PHŒNIX CONTACT

HC-B-TA-PG16-PLR-BK - Adapter

1414248

https://www.phoenixcontact.com/in/products/1414248



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg16 thread

HC-B-TA-PG13-PLR-BK - Adapter

1414247 https://www.phoenixcontact.com/in/products/1414247



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg13.5 thread

1407644

https://www.phoenixcontact.com/in/products/1407644



HC-B-TA-NPT-1 1/4-PLR-BK - Adapter

1414254

https://www.phoenixcontact.com/in/products/1414254



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 1 $1/4^{\prime\prime}$ thread

HC-B-TA-NPT-1/1-PLR-BK - Adapter

1414253 https://www.phoenixcontact.com/in/products/1414253



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT $1\!/1''$ thread

1407644

https://www.phoenixcontact.com/in/products/1407644

HC-B-TA-NPT-3/4-PLR-BK - Adapter

1414252

https://www.phoenixcontact.com/in/products/1414252



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT $3\!/\!4''$ thread

HC-B-TA-NPT-1/2-PLR-BK - Adapter

1414251 https://www.phoenixcontact.com/in/products/1414251



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT $1/2^{\prime\prime}$ thread

PHŒN

1407644

https://www.phoenixcontact.com/in/products/1407644

HC-B-GB-M32-PLRBK - Cable gland

1414662

https://www.phoenixcontact.com/in/products/1414662

Set consisting of: EVO plastic adapter 1414245 and plastic screw connection with bending armor rod 1415181, M32 $\,$



HC-B-GB-M25-PLRBK - Cable gland

1414661 https://www.phoenixcontact.com/in/products/1414661



Set consisting of: EVO plastic adapter 1414244 and plastic screw connection with bending armor rod 1415180, M25 $\,$

1407644

https://www.phoenixcontact.com/in/products/1407644

HC-B-GB-M20-PLRBK - Cable gland

1414660

https://www.phoenixcontact.com/in/products/1414660

Set consisting of: EVO plastic adapter 1414243 and plastic screw connection with bending armor rod 1415179, M20 $\,$



HC-B-GTRS-M32-PLRBK - Cable gland

1414654 https://www.phoenixcontact.com/in/products/1414654



Set consisting of: EVO plastic adapter 1414245 and plastic screw connection with terminal block 1415191, M32 $\,$

PHŒN

1407644

https://www.phoenixcontact.com/in/products/1407644

HC-B-GTRS-M25-PLRBK - Cable gland

1414652

https://www.phoenixcontact.com/in/products/1414652

Set consisting of: EVO plastic adapter 1414244 and plastic screw connection with terminal block 1415190, M25



HC-B-GTRS-M20-PLRBK - Cable gland

1414651 https://www.phoenixcontact.com/in/products/1414651



Set consisting of: EVO plastic adapter 1414243 and plastic screw connection with terminal block 1415189, M20

PHŒN

1407644

https://www.phoenixcontact.com/in/products/1407644



HC-B-GM8X6,5-M40-PLTBK - Cable gland

1414646

https://www.phoenixcontact.com/in/products/1414646



EVO plastic cable gland with bayonet locking; size M40, for 8 conductors with 6. 5 mm cable diameter

HC-B-GM5X8,5-M40-PLTBK - Cable gland

1414645 https://www.phoenixcontact.com/in/products/1414645



EVO plastic cable gland with bayonet locking; size M40, for 5 conductors with 8. 5 mm cable diameter

1407644

https://www.phoenixcontact.com/in/products/1407644



HC-B-GM4X10-M40-PLTBK - Cable gland

1414644

https://www.phoenixcontact.com/in/products/1414644



EVO plastic cable gland with bayonet locking; size M40, for 4 conductors with 10 mm cable diameter

HC-B-GM0-M40-PLTBK - Cable gland

1414643 https://www.phoenixcontact.com/in/products/1414643



EVO plastic cable gland with bayonet locking; size M40, with filler plug

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in