

MPB 18/1- 6 - Wiring bridge



2748564

<https://www.phoenixcontact.com/in/products/2748564>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Wiring bridge for modules with connecting pitch 17.5 mm, 1-phase, 6-pos.



Your advantages

- In combination with other devices in the distribution board, such as residual current devices and miniature circuit breakers
- Practical wiring of all common applications
- For combinations of lightning and surge arresters

Commercial Data

| | |
|--------------------------------------|---------------------|
| Item number | 2748564 |
| Packing unit | 10 pc |
| Minimum order quantity | 10 pc |
| Sales Key | CL1 |
| Product Key | CL132Z |
| Catalog Page | Page 101 (C-4-2019) |
| GTIN | 4017918062538 |
| Weight per Piece (including packing) | 28.78 g |
| Weight per Piece (excluding packing) | 28.5 g |
| Customs tariff number | 85369095 |
| Country of origin | DE |

MPB 18/1- 6 - Wiring bridge



2748564

<https://www.phoenixcontact.com/in/products/2748564>

Technical Data

Product properties

| | |
|---------------------|-------------|
| Type | Comb bridge |
| Product type | Bridge |
| Number of positions | 6 |

Electrical properties

| | |
|-----------------------|-------|
| Number of phases | 1 |
| Nominal current I_N | 100 A |

Dimensions

| | |
|--------|----------|
| Height | 108.6 mm |
|--------|----------|

Material specifications

| | |
|------------------|---------|
| Color | gray |
| Contact material | E-Cu 58 |
| Housing material | Plastic |

MPB 18/1- 6 - Wiring bridge

2748564

<https://www.phoenixcontact.com/in/products/2748564>



Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-11.0 | 27371306 |
| ECLASS-12.0 | 27371306 |
| ECLASS-13.0 | 27371306 |

ETIM

| | |
|----------|----------|
| ETIM 8.0 | EC000215 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 39121600 |
|-------------|----------|

MPB 18/1- 6 - Wiring bridge

2748564

<https://www.phoenixcontact.com/in/products/2748564>



Environmental Product Compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

MPB 18/1- 6 - Wiring bridge

2748564

<https://www.phoenixcontact.com/in/products/2748564>



Accessories

CUTFOX-FBS - Front cutter

1212124

<https://www.phoenixcontact.com/in/products/1212124>



Cutting tool, for separating individual jumper bars from FBS ... plug-in bridges and EB ... insertion bridges

CUTFOX 25 VDE - Cable-cutting tool

1212127

<https://www.phoenixcontact.com/in/products/1212127>



Cable cutter, precision blade with macro-notching, for copper and aluminum up to 70 mm², VDE 1000 V AC/ 1500 V DC tested

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.

A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420

info@phoenixcontact.co.in