

2802565

https://www.phoenixcontact.com/in/products/2802565

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Component connector, pitch: 6 mm, number of positions: 1, color: gray

Your advantages

· Is supplied as a set with two plug sockets

Commercial Data

Item number	2802565
Packing unit	10 pc
Minimum order quantity	10 pc
Note	Made to Order (non-returnable)
Sales Key	BE1
Product Key	BE1Z3X
Catalog Page	Page 510 (C-1-2019)
GTIN	4017918074487
Weight per Piece (including packing)	7.71 g
Weight per Piece (excluding packing)	7.71 g
Customs tariff number	85366990
Country of origin	PL



2802565

https://www.phoenixcontact.com/in/products/2802565

Technical Data

Product properties

Product type	Component plug terminal block
Number of positions	1
Pitch	6 mm

Connection data

Tightening torque	0.5 0.6 Nm
rightening torque	0.5 0.0 INIII

Dimensions

Ditah	6 mm
Pitch	6 mm

Material specifications

Color	gray
Flammability rating according to UL 94	V2
Insulating material	PA

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C 70 °C
Ambient temperature (actuation)	-5 °C 70 °C
Permissible humidity (storage/transport)	30 % 70 %

Mounting

Mounting type Plug-in mounting	
--------------------------------	--



2802565

https://www.phoenixcontact.com/in/products/2802565

Approvals





Approval ID: RU C-DE.BL08.B.00511



2802565

https://www.phoenixcontact.com/in/products/2802565

Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27141149
ECLASS-12.0	27141149
ECLASS-13.0	27250305
ETIM	
ETIM 8.0	EC002018
UNSPSC	

39121600



2802565

https://www.phoenixcontact.com/in/products/2802565

Environmental Product Compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in