

# FBST 8-PLC GY - Single plug-in bridge



2967688

<https://www.phoenixcontact.com/in/products/2967688>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Single plug-in bridge, number of positions: 2, length: 8 mm, color: gray



## Commercial data

|                                      |                                |
|--------------------------------------|--------------------------------|
| Item number                          | 2967688                        |
| Packing unit                         | 50 pc                          |
| Minimum order quantity               | 50 pc                          |
| Note                                 | Made to order (non-returnable) |
| Sales key                            | CK6                            |
| Product key                          | CK62Z1                         |
| Catalog page                         | Page 426 (C-5-2019)            |
| GTIN                                 | 4017918174460                  |
| Weight per piece (including packing) | 0.644 g                        |
| Weight per piece (excluding packing) | 0.644 g                        |
| Customs tariff number                | 85366990                       |
| Country of origin                    | DE                             |

# FBST 8-PLC GY - Single plug-in bridge



2967688

<https://www.phoenixcontact.com/in/products/2967688>

## Technical data

### Product properties

|                     |        |
|---------------------|--------|
| Product type        | Bridge |
| Number of positions | 2      |

### Electrical properties

|                      |     |
|----------------------|-----|
| Maximum load current | 6 A |
|----------------------|-----|

### Connection data

|                      |     |
|----------------------|-----|
| Maximum load current | 6 A |
|----------------------|-----|

### Dimensions

|        |      |
|--------|------|
| Length | 8 mm |
|--------|------|

### Material specifications

|       |      |
|-------|------|
| Color | gray |
|-------|------|

# FBST 8-PLC GY - Single plug-in bridge



2967688

<https://www.phoenixcontact.com/in/products/2967688>

## Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/in/products/2967688>



**GL**

Approval ID: 46016-03 HH



**cULus Listed**

Approval ID: E140324



**cULus Listed**

Approval ID: E199827

# FBST 8-PLC GY - Single plug-in bridge



2967688

<https://www.phoenixcontact.com/in/products/2967688>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27141140 |
| ECLASS-12.0 | 27141140 |
| ECLASS-13.0 | 27371692 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC002586 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

# FBST 8-PLC GY - Single plug-in bridge



2967688

<https://www.phoenixcontact.com/in/products/2967688>

## Environmental product compliance

### EU RoHS

|   |                    |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

### China RoHS

|  |  |
|--|--|
| Environment friendly use period (EFUP) | EFUP-E                                   |
|  | No hazardous substances above the limits |

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.  
A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420  
[info@phoenixcontact.co.in](mailto:info@phoenixcontact.co.in)