2967691

https://www.phoenixcontact.com/in/products/2967691

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Single plug-in bridge, number of positions: 2, length: 14 mm, color: black



Commercial data

Item number	2967691
Packing unit	50 pc
Minimum order quantity	50 pc
Sales key	CK6
Product key	CK62Z1
Catalog page	Page 426 (C-5-2019)
GTIN	4017918174477
Weight per piece (including packing)	0.944 g
Weight per piece (excluding packing)	0.859 g
Customs tariff number	85366990
Country of origin	DE

PHŒNIX

2967691

https://www.phoenixcontact.com/in/products/2967691



Technical data

duct properties				
Product type	Bridge			
Number of positions	2			
Electrical properties				
Maximum load current	10 A			
Connection data				
Maximum load current	10 A			
Dimensions				
Length	14 mm			
Material specifications				
Color	black			



2967691

https://www.phoenixcontact.com/in/products/2967691

Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/in/products/2967691



CULus Listed
Approval ID: E199827

2967691

https://www.phoenixcontact.com/in/products/2967691



Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27371692

ETIM

	ETIM 9.0	EC002586		
UNSPSC				
	UNSPSC 21.0	39121400		

2967691

https://www.phoenixcontact.com/in/products/2967691

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions			
China RoHS				
Environment friendly use period (EFUP)	EFUP-E			
	No hazardous substances above the limits			
EU REACH SVHC				
REACH candidate substance (CAS No.)	No substance above 0.1 wt%			

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in

