

SCBI 10-8,15 ISO - Isolator bridge bar



3000417

<https://www.phoenixcontact.com/in/products/3000417>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Isolator bridge bar, for switchable cross bridges, with insulating collar, pitch: 8.2 mm, number of positions: 10, color: silver

Commercial Data

Item number	3000417
Packing unit	10 pc
Minimum order quantity	10 pc
Sales Key	BE1
Product Key	BE1Z2X
Catalog Page	Page 117 (C-1-2019)
GTIN	4046356574228
Weight per Piece (including packing)	16.16 g
Weight per Piece (excluding packing)	16.16 g
Customs tariff number	85369010
Country of origin	IN

SCBI 10-8,15 ISO - Isolator bridge bar



3000417

<https://www.phoenixcontact.com/in/products/3000417>

Technical Data

Product properties

Product type	Screw bridge
Number of positions	10
Pitch	8.2 mm

Electrical properties

Maximum load current	24 A
----------------------	------

Connection data

Maximum load current	24 A
----------------------	------

Dimensions

Pitch	8.2 mm
-------	--------

Material specifications

Color	silver
Material	Copper

Mounting

Mounting type	Screw mounting
---------------	----------------

SCBI 10-8,15 ISO - Isolator bridge bar



3000417

<https://www.phoenixcontact.com/in/products/3000417>

Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

ETIM

ETIM 8.0	EC000489
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

SCBI 10-8,15 ISO - Isolator bridge bar



3000417

<https://www.phoenixcontact.com/in/products/3000417>

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

SCBI 10-8,15 ISO - Isolator bridge bar



3000417

<https://www.phoenixcontact.com/in/products/3000417>

Accessories

SZF 1-0,6X3,5 - Screwdriver

1204517

<https://www.phoenixcontact.com/in/products/1204517>



Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip

SF-SL 0,6X3,5-100 S-VDE - Screwdriver

1212587

<https://www.phoenixcontact.com/in/products/1212587>



Actuation tool, for ST terminal blocks, VDE insulated, with slimmer insulation integrated in the blade, also suitable for use as a bladed screwdriver, size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.

A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420

info@phoenixcontact.co.in