3030174

https://www.phoenixcontact.com/in/products/3030174



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Plug-in bridge, pitch: 5.2 mm, number of positions: 3, length: 23 mm, color: red

Your advantages

• The 2- to 50-pos. jumpers can bridge up to 50 terminal blocks in the two bridge shafts of the CLIPLINE complete system in one step

Commercial Data

Item number	3030174
Packing unit	50 pc
Minimum order quantity	50 pc
Sales Key	BE2
Product Key	BE2Z2X
Catalog Page	Page 70 (C-1-2019)
GTIN	4017918188528
Weight per Piece (including packing)	2.588 g
Weight per Piece (excluding packing)	2.466 g
Customs tariff number	85366990
Country of origin	DE

3030174

https://www.phoenixcontact.com/in/products/3030174



Technical Data

Product properties

Product type	Jumper
Number of positions	3
Pitch	5.2 mm
lectrical properties	
Maximum load current	24 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular termina blocks.)
connection data	
Maximum load current	24 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular termina blocks.)
Dimensions	
Width	14.2 mm
Height	3 mm

Length22.7 mmPitch5.2 mm

Material specifications


Color	red
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA

Mounting

Mounting type	Plug-in mounting
---------------	------------------

3030174 https://www.phoenixcontact.com/in/products/3030174

Drawings



Schematic diagram



3030174

https://www.phoenixcontact.com/in/products/3030174



Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

ETIM

	ETIM 8.0	EC000489
UNSPSC		
	UNSPSC 21.0	39121400



3030174 https://www.phoenixcontact.com/in/products/3030174



Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

3030174 https://www.phoenixcontact.com/in/products/3030174



Accessories

CUTFOX-FBS - Front cutter

1212124 https://www.phoenixcontact.com/in/products/1212124



Cutting tool, for separating individual jumper bars from FBS ... plug-in bridges and EB ... insertion bridges

FBSC - Protective cap

3012325 https://www.phoenixcontact.com/in/products/3012325



Covering hood, provides reliable shock protection when using cut-to-length FBS-5 and FBS ...-6 bridges, color: red

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in