3030336

https://www.phoenixcontact.com/in/products/3030336



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Plug-in bridge, pitch: 6.2 mm, number of positions: 2, color: red

Your advantages

• The 2- to 50-pos. jumpers can bridge up to 50 terminal blocks in the two bridge shafts of the CLIPLINE complete system in one step

Commercial Data

Item number	3030336
Packing unit	50 pc
Minimum order quantity	50 pc
Sales Key	BE2
Product Key	BE2Z2X
Catalog Page	Page 98 (C-1-2019)
GTIN	4017918188818
Weight per Piece (including packing)	1.923 g
Weight per Piece (excluding packing)	1.874 g
Customs tariff number	85366990
Country of origin	DE

3030336

https://www.phoenixcontact.com/in/products/3030336



Technical Data

Product properties

Product type	Jumper		
Number of positions	2		
Pitch	6.2 mm		
lectrical properties			
Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)		
Connection data			
Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)		
Dimensions			
Width	10.7 mm		
Height	23 mm		

Material specifications

Pitch

Color	red
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA


6.2 mm

Mounting

3030336 https://www.phoenixcontact.com/in/products/3030336



Drawings



Schematic diagram

3030336

https://www.phoenixcontact.com/in/products/3030336



Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

ETIM

	ETIM 8.0	EC000489			
UNSPSC					
	UNSPSC 21.0	39121400			

3030336 https://www.phoenixcontact.com/in/products/3030336



Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

3030336 https://www.phoenixcontact.com/in/products/3030336



Accessories

FBSC - Protective cap

3012325 https://www.phoenixcontact.com/in/products/3012325



Covering hood, provides reliable shock protection when using cut-to-length FBS-5 and FBS ...-6 bridges, color: red

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT (I) Pvt. Ltd. A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420 info@phoenixcontact.co.in