

RB ST 6-(2,5/4) - Reducing bridge

3030860

<https://www.phoenixcontact.com/in/products/3030860>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Reducing bridge, pitch: 9 mm, number of positions: 2, length: 30 mm, color: red



Commercial Data

Item number	3030860
Packing unit	10 pc
Minimum order quantity	10 pc
Sales Key	BE2
Product Key	BE2Z2X
Catalog Page	Page 117 (C-3-2013)
GTIN	4017918819248
Weight per Piece (including packing)	3.68 g
Weight per Piece (excluding packing)	3.6 g
Customs tariff number	85366990
Country of origin	PL

RB ST 6-(2,5/4) - Reducing bridge



3030860

<https://www.phoenixcontact.com/in/products/3030860>

Technical Data

Product properties

Product type	Reducing bridge
Number of positions	2
Pitch	9 mm

Electrical properties

Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
----------------------	---

Connection data

Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
----------------------	---

Dimensions

Width	14.3 mm
Height	3 mm
Length	30 mm
Pitch	9 mm

Material specifications

Color	red
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA 66

Mounting

Mounting type	Plug-in mounting
---------------	------------------

RB ST 6-(2,5/4) - Reducing bridge



3030860

<https://www.phoenixcontact.com/in/products/3030860>

Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

ETIM

ETIM 8.0	EC000489
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

RB ST 6-(2,5/4) - Reducing bridge



3030860

<https://www.phoenixcontact.com/in/products/3030860>

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.
A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420
info@phoenixcontact.co.in