

MPS-MT/ 4MM - Test plug



3048577

<https://www.phoenixcontact.com/in/products/3048577>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Test plug, with solder connection up to 1 mm² conductor cross section, number of positions: 1, color: silver

Your advantages

- The test plug makes contact in all test sockets with a 4 mm diameter
- Two-piece test plug for individual plug color combinations

Commercial data

Item number	3048577
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE1
Product key	BE1Z3X
Catalog page	Page 410 (C-1-2019)
GTIN	4046356072779
Weight per piece (including packing)	2.09 g
Weight per piece (excluding packing)	1.94 g
Customs tariff number	85366990
Country of origin	DE

MPS-MT/ 4MM - Test plug

3048577

<https://www.phoenixcontact.com/in/products/3048577>



Technical data

Product properties

Product type	Test plug terminal block
Number of positions	1

Electrical properties

Nominal voltage U_N	60 V DC (30 V AC)
Nominal current I_N	16 A

Connection data

Connection method	Solder connection
-------------------	-------------------

Dimensions

Height	26 mm
Length contact range	8.4 mm
Pin diameter	4.4 mm
Note on dimensions	Length without insulating sleeve

Material specifications

Color	silver
-------	--------

MPS-MT/ 4MM - Test plug

3048577

<https://www.phoenixcontact.com/in/products/3048577>



Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/in/products/3048577>



EAC

Approval ID: RU C-DE.BL08.B.00511

MPS-MT/ 4MM - Test plug

3048577

<https://www.phoenixcontact.com/in/products/3048577>



Classifications

ECLASS

ECLASS-11.0	27440313
ECLASS-12.0	27440313
ECLASS-13.0	27440313

ETIM

ETIM 9.0	EC002255
----------	----------

UNSPSC

UNSPSC 21.0	20122000
-------------	----------

MPS-MT/ 4MM - Test plug

3048577

<https://www.phoenixcontact.com/in/products/3048577>



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

MPS-MT/ 4MM - Test plug

3048577

<https://www.phoenixcontact.com/in/products/3048577>



Accessories

MPS-IH BK - Insulating sleeve

0201731

<https://www.phoenixcontact.com/in/products/0201731>

Insulating sleeve, color: black



MPS-IH RD - Insulating sleeve

0201676

<https://www.phoenixcontact.com/in/products/0201676>

Insulating sleeve, color: red



MPS-MT/ 4MM - Test plug

3048577

<https://www.phoenixcontact.com/in/products/3048577>



MPS-IH GN - Insulating sleeve

0201702

<https://www.phoenixcontact.com/in/products/0201702>

Insulating sleeve, color: green



MPS-IH GY - Insulating sleeve

0201728

<https://www.phoenixcontact.com/in/products/0201728>

Insulating sleeve, color: gray



MPS-MT/ 4MM - Test plug

3048577

<https://www.phoenixcontact.com/in/products/3048577>




MPS-IH BU - Insulating sleeve

0201689

<https://www.phoenixcontact.com/in/products/0201689>

Insulating sleeve, color: blue



MPS-IH YE - Insulating sleeve

0201692

<https://www.phoenixcontact.com/in/products/0201692>

Insulating sleeve, color: yellow



MPS-MT/ 4MM - Test plug

3048577

<https://www.phoenixcontact.com/in/products/3048577>



MPS-IH WH - Insulating sleeve

0201663

<https://www.phoenixcontact.com/in/products/0201663>

Insulating sleeve, color: white



Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.

A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420

info@phoenixcontact.co.in