

RB ST (2,5/4)-1,5/S - Reducing bridge



3214356

<https://www.phoenixcontact.com/in/products/3214356>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Reducing bridge, pitch: 6.7 mm, number of positions: 2, length: 23 mm, color: red



Commercial data

Item number	3214356
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE2
Product key	BE2Z2X
Catalog page	Page 156 (NTK-2014)
GTIN	4046356579780
Weight per piece (including packing)	1.71 g
Weight per piece (excluding packing)	1.6 g
Customs tariff number	85366990
Country of origin	PL

RB ST (2,5/4)-1,5/S - Reducing bridge



3214356

<https://www.phoenixcontact.com/in/products/3214356>

Technical data

Product properties

Product type	Reducing bridge
Number of positions	2
Pitch	6.7 mm

Electrical properties

Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
----------------------	---

Connection data

Maximum load current	32 A (The current values for the jumpers can deviate when used in different modular terminal blocks. The precise values can be found in the accessories data for the respective modular terminal blocks.)
----------------------	---

Dimensions

Width	10.4 mm
Height	22.7 mm
Depth	3 mm
Length	22.7 mm
Pitch	6.7 mm

Material specifications

Color	red
Material	Copper
Flammability rating according to UL 94	V0
Insulating material	PA

Mounting

Mounting type	Plug-in mounting
---------------	------------------

RB ST (2,5/4)-1,5/S - Reducing bridge



3214356

<https://www.phoenixcontact.com/in/products/3214356>

Classifications

ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27250303

ETIM

ETIM 9.0	EC000489
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

RB ST (2,5/4)-1,5/S - Reducing bridge



3214356

<https://www.phoenixcontact.com/in/products/3214356>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.
A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420
info@phoenixcontact.co.in