

MM A MINI-IO CAB19 0.7/1.5m

772223



Motion Monitoring Adapter ELAU PACDRIVE3, 0.7/1.5 m.

Technical details

General data	
Approval:	CE, UKCA
Technical data	
Environmental data	
Ambient temperature:	0 - 60 °C
Condensation permitted?:	Not permitted
Mechanical data	
Connector type 1:	10-pin RJ45 female connector
Shape of connector type 1:	straight
Connector type 2:	10-pin RJ45 male connector
Shape of connector type 2:	straight
Connector type 3:	8-pin Mini-IO male connector
Shape of connector type 3:	straight
Housing material connector 3:	PBT
Contact surfaces material 1:	Au
Contact surfaces material 2:	Au
Contact surfaces material 3:	Au
Cable material K1:	Cu
Cable material K2:	Cu
Length cable:	0.7 m

Tolerance of cable length K1:	+ 0.055m
Tolerance of cable length K2:	+/- 0.15 m
Category of cable K1:	Cat5
Colour cable insulation 1:	Green
Colour cable insulation 2:	Green
Housing colour:	Black RAL 9005
Material of cable insulation 1:	PUR
Material of cable insulation 2:	PUR
Trailing capability of cable 1:	yes
Trailing capability of cable 2:	Yes
Bend radius (when laying) K1:	10 x Ø
Bend radius (when laying) K2:	8 x Ø
Bend radius constant motion K2:	10 x Ø
Max. outside diameter cable K1:	7 - 7 mm
Conductor cross section:	0.14 - 0.14 mm ²
Diameter data line AWG K1:	26
Cross section data cable K1:	(4 x 2 x 0.14) mm ²
Cross section UB cable K1:	2 x 0.25 mm ²
Shielding K1:	yes
Shielding K2:	Yes
Separating layer bt. cores K2:	No
Number of conductors:	10
Approvals for cable K1:	UL AWM-Style 20963
Approvals for cable K2:	UL AWM-Style 20233
Approvals for connector 1:	UL94 V-0
Approvals for connector 2:	UL94 V-0
Approvals for connector 3:	UL94 V-0
Housing material:	TPE-SEBS UL 94 HB
Height dimension:	24.8 mm

Width dimension:	31 mm
Depth dimension:	85.2 mm
Net weight:	178 g
Gross weight:	193 g
Environment	
RoHS directive:	2011/65/EU, 2015/863/EU
RoHS conformity:	yes
RoHS exceptions:	yes
RoHS except.s acc. to direct.:	6c
REACH compliance:	contains min. 1 SVHC-substance
REACH included substances:	Lead
%-part of the pollutant:	> 0,1
CAS No.:	7439-92-1
WEEE classification (08/2018):	5 devices (feed size < 50cm)
SCIP entry available:	0
Commercial data	
Harmonized System Code:	85444290
UNSPSC 25:	26121603
EAN-Code:	4046548095852
ECLASS version:	ECLASS-13
ECLASS Reference Feature:	27060313
ETIM Version:	ETIM-9.0
ETIM Reference Group:	EG000026
ETIM Reference Feature:	EC001855
Volume:	0 dm3